

**PERMIT TO ALLOW USE OF VARIOUS PRODUCTS IN ACCORDANCE  
WITH UPDATED SPRAY DRIFT MANAGEMENT INSTRUCTIONS**

**SECTION 112 OF THE AGRICULTURAL AND VETERINARY CHEMICALS CODE SCHEDULED  
TO THE *AGRICULTURAL AND VETERINARY CHEMICALS CODE ACT 1994***

**PERMIT NUMBER – PER87338**

**2,4-D Larger booms** - boom heights up to a maximum 0.85 metres from the ground

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

The purpose of this permit is to allow the use of the specified products in a manner that is not consistent with the approved label in regards to spray drift restraints.

**THIS PERMIT IS IN FORCE FROM 20 December 2018 to 1 October 2020.**

**Permit Holder:**

NUFARM AUSTRALIA LIMITED  
103-105 Pipe Road  
Laverton North VIC 3026

**Persons who can use the product under this permit:**

Persons generally.

## APVMA Approved Products

APVMA Product No.	Product Name
66167	NUFARM AMICIDE ADVANCE 700 SELECTIVE HERBICIDE
62751	TROOPER 75-D HERBICIDE
61565	COBBER 475 HERBICIDE
60938	NUFARM ESTERCIDE XTRA 680 HERBICIDE
58990	ZEPHYR 625 2,4-D LOW ODOUR HERBICIDE
56763	NUFARM AMINE 625 SELECTIVE HERBICIDE
46314	BATON LOW HERBICIDE
31209	NUFARM ESTERCIDE 800 HERBICIDE

**Jurisdiction:**  
ALL STATES.

### Conditions of Use:

The products must be used in accordance with the *Directions for Use* specified in this Permit and the corresponding new spray drift permit instructions for each product listed.

Use ONLY with equipment that are not capable of delivering 0.5m release height above the target.

Use ONLY up to a maximum 0.85 metres from the ground with an ULTRA COARSE spray droplet.

**DO NOT apply with spray droplets smaller than ULTRA COARSE or larger droplet size category as referenced to ASAE S572 Standard (including all newer versions such as S572.1) or BCPC or ISO 25358.**

THIS IS A PHENOXY HERBICIDE THAT CAN CAUSE SEVERE DAMAGE TO NATIVE VEGETATION AND SUSCEPTIBLE CROPS SUCH AS COTTON, GRAPES, TOMATOES, OILSEED CROPS AND ORNAMENTALS.

**DO NOT apply if there are surface temperature inversion conditions present at the application site during the time of application.** These conditions exist most evenings one to two hours before sunset and persist until one to two hours after sunrise

**DO NOT** apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. The buffer zones in the relevant buffer zone tables below provide guidance but may not be sufficient in all situations. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.

**DO NOT** allow bystanders to come into contact with the spray cloud.

**DO NOT** apply unless the wind speed is between 3 and 15 kilometers per hour at the application site during the time of application.

## Recognising a surface temperature inversion

A surface temperature inversion is likely to be present if:

- Mist, fog, dew or a frost have occurred
- Smoke or dust hangs in the air and moves sideways, just above the ground surface
- Cumulus clouds that have built up during the day collapse towards evening
- Wind speed is constantly less than 11 km/hr. in the evening and overnight
- Cool off-slope breezes develop during the evening and overnight
- Distant sounds become clearer and easier to hear
- Aromas become more distinct during the evening than during the day.

Information from GRDC Fact Sheet: 'Surface Temperature Inversions and Spraying', Jul 2014.

## Spray timing

- Spray during the day wherever possible. Vertical mixing of the air makes surface temperature inversions unlikely and will reduce the risk of drift caused by surface temperature inversions.
- There is a very low risk of surface temperature inversion when there is continuous overcast weather, with low and heavy cloud and/or wind speed remains above 11km/h for the whole period between sunset and sunrise.
- A lack of suitable weather conditions for spraying over extended periods is not an excuse for spraying in unsuitable conditions.

**DO NOT** apply if crop or weeds are stressed due to dry or excessively moist conditions.

**DO NOT** use if rain is likely within 6 hours.

## Monitoring and record keeping

Users of this product **MUST** make an accurate written record of the details of each spray application within 24 hours following application and KEEP this record for a minimum of 2 years.

- 1- date of use with start and finish times of application;
- 2- the specific location which must include address and paddock/s sprayed;
- 3- Product trade name (full name) of the product being used;
- 4- rate of application which must include the amount of product used per hectare and number of hectares applied to;
- 5- Volume of water used per ha;
- 6- GPS coordinates so that compliance with downward buffer distances can be determined.
- 7- situation, crop or commodity to which the chemical was applied;
- 8- wind speed and direction during application;
- 9- air temperature and relative humidity during application;
- 10- nozzle brand, model, size, type, and spray system pressure measured during application;
- 11- height of spray boom from ground ;

12- name and contact details of person applying this product

(Additional record keeping and/or details may be required by the state or territory where this product is used).

**Watch for changes in weather conditions. Stop spraying immediately if a surface temperature inversion occurs or if spraying conditions become unsuitable for any other reason.**

Continued issuance of this permit is subject to the outcomes of the current APVMA review of 2,4-D. This permit may be impacted by the outcomes of these reviews.

Issued by

Australian Pesticides and Veterinary Medicines Authority

NOTE: PER87338v2 issued October 1, 2019 . Permit renewed to October 1, 2020.

DIRECTIONS FOR USE FOR LARGER SPRAYERS WITH BOOM HEIGHTS UP TO 0.85 METRES FROM THE GROUND

Product	NEW SPRAY DRIFT PERMIT INSTRUCTIONS																							
NUFARM AMICIDE ADVANCE 700 SELECTIVE HERBICIDE	<b>DO NOT</b> apply with spray droplets smaller than <b>ULTRA COARSE</b> or larger droplet size category as referenced to ASAE S572 Standard (including all newer versions such as S572.1) or BCPC or ISO 25358. <b>DO NOT</b> use a higher spray system pressure than the maximum the manufacturer specifies for the selected nozzle to deliver the droplet size category required in the label Spray Drift Restraint.																							
	<b>BOOM SPRAYERS (ground application)</b> <b>DO NOT</b> apply by a boom sprayer unless the following requirements are met: <ul style="list-style-type: none"><li>• spray droplets not smaller than a ULTRA COARSE (UC) spray droplet size category</li><li>• boom heights 0.85 meters or lower above the ground</li><li>• A minimum water volume of 50 L/ha, increasing to 80-100 L/ha for small weed targets, heavy stubbles, etc. in order to ensure sufficient efficacy.</li><li>• minimum distances between the application site and downwind sensitive aquatic and wetland areas including aquacultural ponds, surface streams and rivers (see Aquatic ‘Downwind mandatory no-spray zone’ section of the following table titled ‘Buffer zones for boom sprayers’) are observed.</li><li>• minimum distances between the application site and downwind sensitive crops, gardens, landscaping vegetation, protected native vegetation or protected animal habitat (see Terrestrial ‘Downwind mandatory no-spray zone’ section of the following table titled ‘Buffer zones for boom sprayers’) are observed. The buffer zones provide guidance but may not always be completely protective of all agricultural crops.</li></ul>																							
	<b>BUFFER ZONES FOR BOOM SPRAYERS:</b>																							
	<table><tr><th rowspan="2">Application rate (/ha)</th><th colspan="2">Downwind mandatory no spray zone</th></tr><tr><th>Aquatic</th><th>Terrestrial</th></tr><tr><td colspan="3">Refer to label for maximum rates for each crop or situation</td></tr><tr><td>Up to 1.2 L</td><td>10 meters</td><td>10 meters</td></tr><tr><td>Up to 1.5 L</td><td>20 meters</td><td>20 meters</td></tr><tr><td>Up to 3.1 L</td><td>30 meters</td><td>30 meters</td></tr><tr><td>Up to 3.9 L</td><td>35 meters</td><td>35 meters</td></tr><tr><td>Up to 4.75 L</td><td>45 meters</td><td>40 meters</td></tr></table>	Application rate (/ha)	Downwind mandatory no spray zone		Aquatic	Terrestrial	Refer to label for maximum rates for each crop or situation			Up to 1.2 L	10 meters	10 meters	Up to 1.5 L	20 meters	20 meters	Up to 3.1 L	30 meters	30 meters	Up to 3.9 L	35 meters	35 meters	Up to 4.75 L	45 meters	40 meters
	Application rate (/ha)		Downwind mandatory no spray zone																					
Aquatic		Terrestrial																						
Refer to label for maximum rates for each crop or situation																								
Up to 1.2 L	10 meters	10 meters																						
Up to 1.5 L	20 meters	20 meters																						
Up to 3.1 L	30 meters	30 meters																						
Up to 3.9 L	35 meters	35 meters																						
Up to 4.75 L	45 meters	40 meters																						

Product	NEW SPRAY DRIFT PERMIT INSTRUCTIONS	
TROOPER 75-D HERBICIDE	<p><b>DO NOT</b> apply with spray droplets smaller than <b>ULTRA COARSE</b> or larger droplet size category as referenced to ASAE S572 Standard (including all newer versions such as S572.1) or BCPC or ISO 25358.</p> <p><b>DO NOT</b> use a higher spray system pressure than the maximum the manufacturer specifies for the selected nozzle to deliver the droplet size category required in the label Spray Drift Restraint.</p>	
	<p><b>BOOM SPRAYERS (ground application)</b></p> <p><b>DO NOT</b> apply by a boom sprayer unless the following requirements are met:</p> <ul style="list-style-type: none"> <li>spray droplets not smaller than a ULTRA COARSE (UC) spray droplet size category</li> <li>boom heights 0.85 meters or lower above the ground</li> <li>A minimum water volume of 50 L/ha, increasing to 80-100 L/ha for small weed targets, heavy stubbles, etc. in order to ensure sufficient efficacy.</li> <li>minimum distances between the application site and downwind sensitive aquatic and wetland areas including aquacultural ponds, surface streams and rivers (see Aquatic 'Downwind mandatory no-spray zone' section of the following table titled 'Buffer zones for boom sprayers') are observed.</li> <li>minimum distances between the application site and downwind sensitive crops, gardens, landscaping vegetation, protected native vegetation or protected animal habitat (see Terrestrial 'Downwind mandatory no-spray zone' section of the following table titled 'Buffer zones for boom sprayers') are observed. The buffer zones provide guidance but may not always be completely protective of all agricultural crops.</li> </ul>	
	<b>BUFFER ZONES FOR BOOM SPRAYERS:</b>	
	Application rate (/ha)	Downwind mandatory no spray zone
		Aquatic                      Terrestrial
	Dryland cropping: winter cereals and fallows	
	Up to 1.0 L	Not required
	Dryland cropping: summer cereals	
	Up to 500 mL + 280 mL 2,4-D amine 625 (325 g ae/ha)	Not required
	Tropical & subtropical uses: sugarcane	
	Up to 0.7 L + 0.8 L 2,4-D amine 625 (710 g ae/ha)	10 metres                      10 metres
	Up to 1.5 L + 1 L 2,4-D amine 625 (950 g ae/ha)	15 metres                      15 metres
	Pasture	
	Up to 15 L	70 metres                      65 metres
	Up to 22 L	130 metres                      120 metres

Product	NEW SPRAY DRIFT PERMIT INSTRUCTIONS																				
COBBER 475 HERBICIDE	<b>DO NOT</b> apply with spray droplets smaller than <b>ULTRA COARSE</b> or larger droplet size category as referenced to ASAE S572 Standard (including all newer versions such as S572.1) or BCPC or ISO 25358. <b>DO NOT</b> use a higher spray system pressure than the maximum the manufacturer specifies for the selected nozzle to deliver the droplet size category required in the label Spray Drift Restraint.																				
	<b>BOOM SPRAYERS (ground application)</b> <b>DO NOT</b> apply by a boom sprayer unless the following requirements are met: <ul style="list-style-type: none"><li>• spray droplets not smaller than a ULTRA COARSE (UC) spray droplet size category</li><li>• boom heights 0.85 meters or lower above the ground</li><li>• A minimum water volume of 50 L/ha, increasing to 80-100 L/ha for small weed targets, heavy stubbles, etc. in order to ensure sufficient efficacy.</li><li>• minimum distances between the application site and downwind sensitive aquatic and wetland areas including aquacultural ponds, surface streams and rivers (see Aquatic 'Downwind mandatory no-spray zone' section of the following table titled 'Buffer zones for boom sprayers') are observed.</li><li>• minimum distances between the application site and downwind sensitive crops, gardens, landscaping vegetation, protected native vegetation or protected animal habitat (see Terrestrial 'Downwind mandatory no-spray zone' section of the following table titled 'Buffer zones for boom sprayers') are observed. The buffer zones provide guidance but may not always be completely protective of all agricultural crops.</li></ul>																				
	<b>BUFFER ZONES FOR BOOM SPRAYERS:</b>																				
	<table><tr><th rowspan="2">Application rate (/ha)</th><th colspan="2">Downwind mandatory no spray zone</th></tr><tr><th>Aquatic</th><th>Terrestrial</th></tr><tr><td colspan="3">Refer to label for maximum rates for each crop or situation</td></tr><tr><td>Up to 2.3 L</td><td>20 metres</td><td>20 metres</td></tr><tr><td>Up to 4.2L</td><td>30 metres</td><td>30 metres</td></tr><tr><td>Up to 4.75 L</td><td>35 metres</td><td>30 metres</td></tr><tr><td>Up to 5.7 L</td><td>40 metres</td><td>35 metres</td></tr></table>	Application rate (/ha)	Downwind mandatory no spray zone		Aquatic	Terrestrial	Refer to label for maximum rates for each crop or situation			Up to 2.3 L	20 metres	20 metres	Up to 4.2L	30 metres	30 metres	Up to 4.75 L	35 metres	30 metres	Up to 5.7 L	40 metres	35 metres
	Application rate (/ha)		Downwind mandatory no spray zone																		
Aquatic		Terrestrial																			
Refer to label for maximum rates for each crop or situation																					
Up to 2.3 L	20 metres	20 metres																			
Up to 4.2L	30 metres	30 metres																			
Up to 4.75 L	35 metres	30 metres																			
Up to 5.7 L	40 metres	35 metres																			

Product	NEW SPRAY DRIFT PERMIT INSTRUCTIONS																													
NUFARM ESTERCIDE XTRA 680 HERBICIDE	<b>DO NOT</b> apply with spray droplets smaller than <b>ULTRA COARSE</b> or larger droplet size category as referenced to ASAE S572 Standard (including all newer versions such as S572.1) or BCPC or ISO 25358. <b>DO NOT</b> use a higher spray system pressure than the maximum the manufacturer specifies for the selected nozzle to deliver the droplet size category required in the label Spray Drift Restraint.																													
	<b>BOOM SPRAYERS (ground application)</b> <b>DO NOT</b> apply by a boom sprayer unless the following requirements are met: <ul style="list-style-type: none"><li>• spray droplets not smaller than a ULTRA COARSE (UC) spray droplet size category</li><li>• boom heights 0.85 meters or lower above the ground</li><li>• A minimum water volume of 50 L/ha, increasing to 80-100 L/ha for small weed targets, heavy stubbles, etc. in order to ensure sufficient efficacy.</li><li>• minimum distances between the application site and downwind sensitive aquatic and wetland areas including aquacultural ponds, surface streams and rivers (see Aquatic 'Downwind mandatory no-spray zone' section of the following table titled 'Buffer zones for boom sprayers') are observed.</li><li>• minimum distances between the application site and downwind sensitive crops, gardens, landscaping vegetation, protected native vegetation or protected animal habitat (see Terrestrial 'Downwind mandatory no-spray zone' section of the following table titled 'Buffer zones for boom sprayers') are observed. The buffer zones provide guidance but may not always be completely protective of all agricultural crops.</li></ul>																													
	<b>BUFFER ZONES FOR BOOM SPRAYERS:</b>																													
	<table><tr><th rowspan="2">Application rate (/ha)</th><th colspan="2">Downwind mandatory no spray zone</th></tr><tr><th>Aquatic</th><th>Terrestrial</th></tr><tr><td colspan="3">Refer to label for maximum rates for each crop or situation</td></tr><tr><td>Up to 230 mL</td><td>0 metres</td><td>0 metres</td></tr><tr><td>Up to 820 mL</td><td>5 metres</td><td>15 metres</td></tr><tr><td>Up to 1.15 L</td><td>10 metres</td><td>25 metres</td></tr><tr><td>Up to 1.7 L</td><td>20 metres</td><td>30 metres</td></tr><tr><td>Up to 2.4 L</td><td>30 metres</td><td>40 metres</td></tr><tr><td>Up to 4.7 L</td><td>45 metres</td><td>95 metres</td></tr><tr><td>Up to 6.6 L</td><td>70 metres</td><td>160 metres</td></tr></table>	Application rate (/ha)	Downwind mandatory no spray zone		Aquatic	Terrestrial	Refer to label for maximum rates for each crop or situation			Up to 230 mL	0 metres	0 metres	Up to 820 mL	5 metres	15 metres	Up to 1.15 L	10 metres	25 metres	Up to 1.7 L	20 metres	30 metres	Up to 2.4 L	30 metres	40 metres	Up to 4.7 L	45 metres	95 metres	Up to 6.6 L	70 metres	160 metres
	Application rate (/ha)		Downwind mandatory no spray zone																											
Aquatic		Terrestrial																												
Refer to label for maximum rates for each crop or situation																														
Up to 230 mL	0 metres	0 metres																												
Up to 820 mL	5 metres	15 metres																												
Up to 1.15 L	10 metres	25 metres																												
Up to 1.7 L	20 metres	30 metres																												
Up to 2.4 L	30 metres	40 metres																												
Up to 4.7 L	45 metres	95 metres																												
Up to 6.6 L	70 metres	160 metres																												



Product	NEW SPRAY DRIFT PERMIT INSTRUCTIONS																																
ZEPHYR 625 2,4-D LOW ODOUR HERBICIDE	<b>DO NOT</b> apply with spray droplets smaller than <b>ULTRA COARSE</b> or larger droplet size category as referenced to ASAE S572 Standard (including all newer versions such as S572.1) or BCPC or ISO 25358. <b>DO NOT</b> use a higher spray system pressure than the maximum the manufacturer specifies for the selected nozzle to deliver the droplet size category required in the label Spray Drift Restraint.																																
	<b>BOOM SPRAYERS (ground application)</b> <b>DO NOT</b> apply by a boom sprayer unless the following requirements are met: <ul style="list-style-type: none"><li>spray droplets not smaller than a ULTRA COARSE (UC) spray droplet size category</li><li>boom heights 0.85 meters or lower above the ground</li><li>A minimum water volume of 50 L/ha, increasing to 80-100 L/ha for small weed targets, heavy stubbles, etc. in order to ensure sufficient efficacy.</li><li>minimum distances between the application site and downwind sensitive aquatic and wetland areas including aquacultural ponds, surface streams and rivers (see Aquatic 'Downwind mandatory no-spray zone' section of the following table titled 'Buffer zones for boom sprayers') are observed.</li><li>minimum distances between the application site and downwind sensitive crops, gardens, landscaping vegetation, protected native vegetation or protected animal habitat (see Terrestrial 'Downwind mandatory no-spray zone' section of the following table titled 'Buffer zones for boom sprayers') are observed. The buffer zones provide guidance but may not always be completely protective of all agricultural crops.</li></ul>																																
	<b>BUFFER ZONES FOR BOOM SPRAYERS:</b>																																
	<table><tr><th rowspan="2">Application rate (l/ha)</th><th colspan="2">Downwind mandatory no spray zone</th></tr><tr><th>Aquatic</th><th>Terrestrial</th></tr><tr><td colspan="3">Refer to label for maximum rates for each crop or situation</td></tr><tr><td>Up to 0.9 L</td><td>5 metres</td><td>Not required</td></tr><tr><td>Up to 1.2 L</td><td>10 metres</td><td>10 metres</td></tr><tr><td>Up to 1.4 L</td><td>15 metres</td><td>15 metres</td></tr><tr><td>Up to 1.8 L</td><td>20 metres</td><td>20 metres</td></tr><tr><td>Up to 3.2 L</td><td>30 metres</td><td>30 metres</td></tr><tr><td>Up to 3.6 L</td><td>35 metres</td><td>30 metres</td></tr><tr><td>Up to 4.4 L</td><td>40 metres</td><td>35 metres</td></tr><tr><td>Up to 5.3 L</td><td>45 metres</td><td>45 metres</td></tr></table>	Application rate (l/ha)	Downwind mandatory no spray zone		Aquatic	Terrestrial	Refer to label for maximum rates for each crop or situation			Up to 0.9 L	5 metres	Not required	Up to 1.2 L	10 metres	10 metres	Up to 1.4 L	15 metres	15 metres	Up to 1.8 L	20 metres	20 metres	Up to 3.2 L	30 metres	30 metres	Up to 3.6 L	35 metres	30 metres	Up to 4.4 L	40 metres	35 metres	Up to 5.3 L	45 metres	45 metres
	Application rate (l/ha)		Downwind mandatory no spray zone																														
		Aquatic	Terrestrial																														
	Refer to label for maximum rates for each crop or situation																																
	Up to 0.9 L	5 metres	Not required																														
	Up to 1.2 L	10 metres	10 metres																														
	Up to 1.4 L	15 metres	15 metres																														
Up to 1.8 L	20 metres	20 metres																															
Up to 3.2 L	30 metres	30 metres																															
Up to 3.6 L	35 metres	30 metres																															
Up to 4.4 L	40 metres	35 metres																															
Up to 5.3 L	45 metres	45 metres																															

Product	NEW SPRAY DRIFT PERMIT INSTRUCTIONS																																
NUFARM AMINE 625 SELECTIVE HERBICIDE	<b>DO NOT</b> apply with spray droplets smaller than <b>ULTRA COARSE</b> or larger droplet size category as referenced to ASAE S572 Standard (including all newer versions such as S572.1) or BCPC or ISO 25358. <b>DO NOT</b> use a higher spray system pressure than the maximum the manufacturer specifies for the selected nozzle to deliver the droplet size category required in the label Spray Drift Restraint.																																
	<b>BOOM SPRAYERS (ground application)</b> <b>DO NOT</b> apply by a boom sprayer unless the following requirements are met: <ul style="list-style-type: none"><li>• spray droplets not smaller than a ULTRA COARSE (UC) spray droplet size category</li><li>• boom heights 0.85 meters or lower above the ground</li><li>• A minimum water volume of 50 L/ha, increasing to 80-100 L/ha for small weed targets, heavy stubbles, etc. in order to ensure sufficient efficacy.</li><li>• minimum distances between the application site and downwind sensitive aquatic and wetland areas including aquacultural ponds, surface streams and rivers (see Aquatic ‘Downwind mandatory no-spray zone’ section of the following table titled ‘Buffer zones for boom sprayers’) are observed.</li><li>• minimum distances between the application site and downwind sensitive crops, gardens, landscaping vegetation, protected native vegetation or protected animal habitat (see Terrestrial ‘Downwind mandatory no-spray zone’ section of the following table titled ‘Buffer zones for boom sprayers’) are observed. The buffer zones provide guidance but may not always be completely protective of all agricultural crops.</li></ul>																																
	<b>BUFFER ZONES FOR BOOM SPRAYERS:</b>																																
	<table><tr><th rowspan="2">Application rate (/ha)</th><th colspan="2">Downwind mandatory no spray zone</th></tr><tr><th>Aquatic</th><th>Terrestrial</th></tr><tr><td colspan="3">Refer to label for maximum rates for each crop or situation</td></tr><tr><td>Up to 0.9 L</td><td>5 metres</td><td>Not Required</td></tr><tr><td>Up to 1.2 L</td><td>10 metres</td><td>10 metres</td></tr><tr><td>Up to 1.4 L</td><td>15 metres</td><td>15 metres</td></tr><tr><td>Up to 1.8 L</td><td>20 metres</td><td>20 metres</td></tr><tr><td>Up to 3.2 L</td><td>30 metres</td><td>30 metres</td></tr><tr><td>Up to 3.6 L</td><td>35 metres</td><td>30 metres</td></tr><tr><td>Up to 4.4 L</td><td>40 metres</td><td>35 metres</td></tr><tr><td>Up to 5.3 L</td><td>45 metres</td><td>45 metres</td></tr></table>	Application rate (/ha)	Downwind mandatory no spray zone		Aquatic	Terrestrial	Refer to label for maximum rates for each crop or situation			Up to 0.9 L	5 metres	Not Required	Up to 1.2 L	10 metres	10 metres	Up to 1.4 L	15 metres	15 metres	Up to 1.8 L	20 metres	20 metres	Up to 3.2 L	30 metres	30 metres	Up to 3.6 L	35 metres	30 metres	Up to 4.4 L	40 metres	35 metres	Up to 5.3 L	45 metres	45 metres
	Application rate (/ha)		Downwind mandatory no spray zone																														
Aquatic		Terrestrial																															
Refer to label for maximum rates for each crop or situation																																	
Up to 0.9 L	5 metres	Not Required																															
Up to 1.2 L	10 metres	10 metres																															
Up to 1.4 L	15 metres	15 metres																															
Up to 1.8 L	20 metres	20 metres																															
Up to 3.2 L	30 metres	30 metres																															
Up to 3.6 L	35 metres	30 metres																															
Up to 4.4 L	40 metres	35 metres																															
Up to 5.3 L	45 metres	45 metres																															

Product	NEW SPRAY DRIFT PERMIT INSTRUCTIONS																									
BATON LOW HERBICIDE	<b>DO NOT</b> apply with spray droplets smaller than <b>ULTRA COARSE</b> or larger droplet size category as referenced to ASAE S572 Standard (including all newer versions such as S572.1) or BCPC or ISO 25358. <b>DO NOT</b> use a higher spray system pressure than the maximum the manufacturer specifies for the selected nozzle to deliver the droplet size category required in the label Spray Drift Restraint.																									
	<b>BOOM SPRAYERS (ground application)</b> <b>DO NOT</b> apply by a boom sprayer unless the following requirements are met: <ul style="list-style-type: none"><li>• spray droplets not smaller than a ULTRA COARSE (UC) spray droplet size category</li><li>• boom heights 0.85 meters or lower above the ground</li><li>• A minimum water volume of 50 L/ha, increasing to 80-100 L/ha for small weed targets, heavy stubbles, etc. in order to ensure sufficient efficacy.</li><li>• minimum distances between the application site and downwind sensitive aquatic and wetland areas including aquacultural ponds, surface streams and rivers (see Aquatic ‘Downwind mandatory no-spray zone’ section of the following table titled ‘Buffer zones for boom sprayers’) are observed.</li><li>• minimum distances between the application site and downwind sensitive crops, gardens, landscaping vegetation, protected native vegetation or protected animal habitat (see Terrestrial ‘Downwind mandatory no-spray zone’ section of the following table titled ‘Buffer zones for boom sprayers’) are observed. The buffer zones provide guidance but may not always be completely protective of all agricultural crops.</li></ul>																									
	<b>BUFFER ZONES FOR BOOM SPRAYERS:</b>																									
	<table><tr><th rowspan="2">Application rate (/ha)</th><th colspan="2">Downwind mandatory no spray zone</th></tr><tr><th>Aquatic</th><th>Terrestrial</th></tr><tr><td colspan="3">Refer to label for maximum rates for each crop or situation</td></tr><tr><td>Up to 0.9 kg</td><td>10 metres</td><td>10 metres</td></tr><tr><td>Up to 1.1 kg</td><td>15 metres</td><td>15 metres</td></tr><tr><td>Up to 1.4 kg</td><td>20 metres</td><td>20 metres</td></tr><tr><td>Up to 2.5 kg</td><td>30 metres</td><td>30 metres</td></tr><tr><td>Up to 2.8 kg</td><td>35 metres</td><td>30 metres</td></tr><tr><td>Up to 3.4 kg</td><td>40 metres</td><td>35 metres</td></tr></table>	Application rate (/ha)	Downwind mandatory no spray zone		Aquatic	Terrestrial	Refer to label for maximum rates for each crop or situation			Up to 0.9 kg	10 metres	10 metres	Up to 1.1 kg	15 metres	15 metres	Up to 1.4 kg	20 metres	20 metres	Up to 2.5 kg	30 metres	30 metres	Up to 2.8 kg	35 metres	30 metres	Up to 3.4 kg	40 metres
Application rate (/ha)	Downwind mandatory no spray zone																									
	Aquatic	Terrestrial																								
Refer to label for maximum rates for each crop or situation																										
Up to 0.9 kg	10 metres	10 metres																								
Up to 1.1 kg	15 metres	15 metres																								
Up to 1.4 kg	20 metres	20 metres																								
Up to 2.5 kg	30 metres	30 metres																								
Up to 2.8 kg	35 metres	30 metres																								
Up to 3.4 kg	40 metres	35 metres																								

Product	NEW SPRAY DRIFT PERMIT INSTRUCTIONS
NUFARM ESTERCIDE 800 HERBICIDE	<p><b>DO NOT</b> apply with spray droplets smaller than <b>ULTRA COARSE</b> or larger droplet size category as referenced to ASAE S572 Standard (including all newer versions such as S572.1) or BCPC or ISO 25358.</p> <p><b>DO NOT</b> use a higher spray system pressure than the maximum the manufacturer specifies for the selected nozzle to deliver the droplet size category required in the label Spray Drift Restraint.</p>
	<p><b>BOOM SPRAYERS (ground application)</b></p> <p><b>DO NOT</b> apply by a boom sprayer unless the following requirements are met:</p> <ul style="list-style-type: none"> <li>• spray droplets not smaller than a ULTRA COARSE (UC) spray droplet size category</li> <li>• boom heights 0.85 meters or lower above the ground</li> <li>• A minimum water volume of 50 L/ha, increasing to 80-100 L/ha for small weed targets, heavy stubbles, etc. in order to ensure sufficient efficacy.</li> <li>• minimum distance between the application site and downwind sensitive aquatic and wetland areas including aquacultural ponds, surface streams and rivers of <b>2 kilometres</b> is observed.</li> <li>• minimum distance between the application site and downwind sensitive crops, gardens, landscaping vegetation, protected native vegetation or protected animal habitat of <b>2 kilometres is observed</b>. The buffer zones provide guidance but may not always be completely protective of all agricultural crops.</li> </ul> <p><b>NOTE: Refer to Department of Agriculture and Food for state restricted spray areas <a href="http://www.agric.wa.gov.au">www.agric.wa.gov.au</a></b></p>